

Product Data Sheet

10W Spotless LED Tapes 24v - Single Colours

Data Sheet: Page 1 of 3 AH/SM/DW 06.12.21

This product data sheet applies to the following items only:

| | IP20 uncoated LED tape | IP65 Splashproof LED tape |
|-----------------------------------|---|---|
| Gradus item code (suppliers code) | R/10W/24VC (R-10-24V-COB) G/10W/24VC (G-10-24V-COB) B/10W/24VC (B-10-24V-COB) A/10W/24VC (A-10-24V-COB) P/10W/24VC (P-10-24V-COB) | R/10W/24VCI (R-10-24V-COB-IP) G/10W/24VCI (G-10-24V-COB-IP) B/10W/24VCI (B-10-24V-COB-IP) A/10W/24VCI (A-10-24V-COB-IP) P/10W/24VCI (P-10-24V-COB-IP) |

Gradus Detailed Specification

Manufacturer: Gradus Accessories, Park Green, Macclesfield, Cheshire, SK11 7LZ.

Tel: 01625 428922 Fax: 01625 433939

Website: www.gradus.com Email: sales@gradus.com

| Power Consumption | 0.6W/m (based on a 5m rup) | |
|-------------------|--|--|
| Fower Consumption | 9.6W/m (based on a 5m run) | |
| Voltage | 24v DC | |
| LEDs/m | 528 | |
| Kelvin | Red, Green, Blue, Amber, Pink | |
| Lumens/m | Red, Green, Blue & Pink = 240 Amber = 960 | |
| Tape dimensions | W: 10mm / D: 3mm | |
| PCB increment | Power connection and cut points every 45mm | |
| LED pitch | 0mm | |
| Beam angle | 120° | |
| PCB colour | White | |
| LED chip | COB (chip-on-board) technology | |
| CRI | Red, Green, Amber, Pink = 90+ Blue = 85+ | |
| Operating temp. | -20°C ~ 45°C | |
| IP rating | IP20 uncoated / IP65 splashproof | |
| Min. bend radius | 10mm | |
| Connection | Hardwire tails | |
| Control | 0-10v / 1-10v / DMX / DALI / RF / Triac / Push | |
| Mounting | 3M VHB backing tape | |



Description

LED Architectural Lighting range: LED Tapes

Gradus offer a comprehensive range of commercial grade 24v LED tapes that feature premium components to ensure long-lasting reliability and come in a wide choice of formats, colours and brightness options. Our LED tapes can be combined with any of our Aluminium Profiles (sold separately) and Gradus can also provide controllers allowing you to create an overall lighting solution that achieves the required flexibility and functionality for each individual project.

Gradus Limited Park Green Macclesfield Cheshire SK11 7LZ England UK Tel: 01625 428922 Fax: 01625 433949 For enquiries outside the UK and Eire contact Gradus International on +44 (0)1625 613780


GRADUS

Product Data Sheet


10W Spotless LED Tapes 24v - Single Colours

Data Sheet: Page 2 of 3 AH/SM/DW 06.12.21

Chromotology diagrams



Spectral radiant flux versus wavelength



Gradus Limited Park Green Macclesfield Cheshire SK11 7LZ England UK Tel: 01625 428922 Fax: 01625 433949 For enquiries outside the UK and Eire contact Gradus International on +44 (0)1625 613780


LED Lighting Systems


GRADUS


Product Data Sheet

10W Spotless LED Tapes 24v - Single Colours

Data Sheet: Page 3 of 3 AH/SM/DW 06.12.21








Technical Drawing



Wiring Diagram



Gradus Limited Park Green Macclesfield Cheshire SK11 7LZ England UK Tel: 01625 428922 Fax: 01625 433949 For enquiries outside the UK and Eire contact Gradus International on +44 (0)1625 613780